PALM Intranet

Application Number [   ] [Submit]

IDS Flag Clearance for Application 10797871

IDS Information

	Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer
	[Update]					

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same (organic same light$6 same emit$6 same diode$1 or OLED) and metal same pattern) SAME reflect$6 SAME LIGHT$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 07:59
L1	65	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same pixel and ((thin same film same transistor or TFT) and metal$6 same electrode$1 and metal same pattern) and "345"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 07:57
L2	8	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same (organic same light$6 same emit$6 same diode$1 or OLED) and (metal same pattern) SAME reflect$6 SAME LIGHT$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 08:00
L3	0	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same (organic same light$6 same emit$6 same diode$1 or OLED) and SUBSTARTE SAME metal same pattern SAME reflect$6 SAME LIGHT$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 08:00
L4	4	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same (organic same light$6 same emit$6 same diode$1 or OLED) and SUBSTRATE SAME metal same pattern SAME reflect$6 SAME LIGHT$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 08:03
L5	58	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same pixel and SUBSTRATE SAME metal same pattern SAME reflect$6 SAME LIGHT$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 08:04
L6	6	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same pixel$1 and SUBSTRATE$1 SAME metal$6 same pattern$6 SAME reflect$6 SAME LIGHT$6 and "345"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 08:08

L7	5	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same pixel$1 and SUBSTRATE$1 SAME metal$6 same pattern$6 SAME reflect$6 SAME LIGHT$6 and "345"/$.ccls. and (LED or light$6 adj emit$6 or diode$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 08:08
L8	2	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same pixel$1 and SUBSTRATE$1 SAME metal$6 ·same pattern$6 SAME reflect$6 SAME LIGHT$6 and "345"/$.ccls. and (LED or light$6 adj emit$6 adj diode$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 08:09
L9	2	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same pixel$1 and SUBSTRATE$1 SAME metal$6 same pattern$6 SAME reflect$6 SAME LIGHT$6 and "345"/$.ccls. and (LED or light$6 adj emit$6 adj diode$1) and anode$1 and cathode$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 09:45
L10	15	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same pixel$1 and SUBSTRATE$1 SAME metal$6 same pattern$6 SAME reflect$6 SAME LIGHT$6 and (LED or light$6 adj emit$6 adj diode$1) and anode$1 and cathode$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:40
L11	0	display and substrate$1 same (thin same film same transistor or TFT) same pixel$1display and SUBSTRATE$1 SAME metal$6 same pattern$6 SAME reflect$6 SAME LIGHT$6 and "345"/$.ccls. and (LED or light$6 adj emit$6 adj diode$1) and anode$1 and cathode$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 09:45
L12	2	display and substrate$1 same (thin same film same transistor or TFT) same pixel$ and SUBSTRATE$1 SAME metal$6 same pattern$6 SAME reflect$6 SAME LIGHT$6 and "345"/$.ccls. and (LED or light$6 adj emit$6 adj diode$1) and anode$1 and cathode$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 10:07
L13	17	display and substrate$1 same (thin same film same transistor or TFT) same pixel$ and SUBSTRATE$1 SAME metal$6 same pattern$6 SAME reflect$6 SAME LIGHT$6 and "345"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 20:45

EAST Search History

L14	2	display and substrate$1 same (thin same film same transistor or TFT) same pixel$ and SUBSTRATE$1 SAME metal$6 same pattern$6 SAME reflect$6 SAME LIGHT$6 and "345"/$. ccls. and (LED or light$6 adj emit$6 adj diode$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 10:24
L15	17	display and substrate$1 same (thin same film same transistor or TFT) same pixel$ and SUBSTRATE$1 SAME metal$6 same pattern$6 SAME reflect$6 SAME LIGHT$6 and "345"/$. ccls. and (LED or light$6 adj emit$6 adj diode$1 or EL or electroluminescent or LCD or liquid adj crystal adj display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 10:25
L16	7	display and substrate$1 same (thin same film same transistor or TFT) same pixel$ and SUBSTRATE$1 SAME metal$6 same pattern$6 SAME reflect$6 SAME LIGHT$6 and "345"/$. ccls. and (LED or light$6 adj emit$6 adj diode$1 or EL or electroluminesce)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:38
L17	1	"6392617".pn. and substrate$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:16
L18	0	"6392617".pn. and insulating same layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:17
L19	1	"6392617".pn. and insulat$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:35
L20	1	"6392617".pn. and insulat$6 and dielectric$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:37
L21	0	"6392617".pn. and insulat$6 and dielectric$6 and photoresist$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:38

L22	2	display and substrate$1 same (thin same film same transistor or TFT) same pixel$ and SUBSTRATE$1 SAME metal$6 same pattern$6 SAME reflect$6 SAME LIGHT$6 and "345"/$. ccls. and (LED or light$6 adj emit$6 adj diode$1 or EL or electroluminesce) and (dielectric and photoresist)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:39
L23	3	display and substrate$1 same (thin same film same transistor or TFT) same pixel$ and SUBSTRATE$1 SAME metal$6 same pattern$6 SAME reflect$6 SAME LIGHT$6 and "345"/$. ccls. and (LED or light$6 adj emit$6 adj diode$1 or EL or electroluminesce) and (dielectric or photoresist)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:39
L24	12	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same pixel$1 and SUBSTRATE$1 SAME metal$6 same pattern$6 SAME reflect$6 SAME LIGHT$6 and (LED or light$6 adj emit$6 adj diode$1) and anode$1 and cathode$1 and (photoresist$6 or dielectric$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:43
L25	8	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same pixel$1 and SUBSTRATE$1 SAME metal$6 same pattern$6 SAME reflect$6 SAME LIGHT$6 and (LED or light$6 adj emit$6 adj diode$1) and anode$1 and cathode$1 and (photoresist$6 or dielectric$6) and planariz$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:44
L26	8	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same pixel$1 and SUBSTRATE$1 SAME metal$6 same pattern$6 SAME reflect$6 SAME LIGHT$6 and (LED or light$6 adj emit$6 adj diode$1) and anode$1 and cathode$1 and (photoresist$6 or dielectric$6) and planariz$6 and insulat$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:44

EAST Search History

L27	8	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same pixel$1 and SUBSTRATE$1 SAME metal$6 same pattern$6 SAME reflect$6 SAME LIGHT$6 and (LED or light$6 adj emit$6 adj diode$1) and anode$1 and cathode$1 and (photoresist$6 or dielectric$6) and planariz$6 and insulat$6 and spin$6 and coat$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:45
L28	24	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same pixel$1 and SUBSTRATE$1 SAME metal$6 same pattern$6 and reflect$6 SAME LIGHT$6 and (LED or light$6 adj emit$6 adj diode$1) and anode$1 and cathode$1 and (photoresist$6 or dielectric$6) and planariz$6 and insulat$6 and spin$6 and coat$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:52
L29	10	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same pixel$1 and SUBSTRATE$1 SAME metal$6 same pattern$6 and reflect$6 SAME LIGHT$6 and (LED or light$6 adj emit$6 adj diode$1) and anode$1 and cathode$1 and (photoresist$6 or dielectric$6) and planariz$6 and insulat$6 same spin$6 same coat$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:54
L30	14	display and substrate$1 same (thin same film same transistor or TFT) same pixel$1 and SUBSTRATE$1 SAME metal$6 same pattern$6 and reflect$6 SAME LIGHT$6 and (LED or light$6 adj emit$6 adj diode$1) and anode$1 and cathode$1 and (photoresist$6 or dielectric$6) and planariz$6 and insulat$6 same spin$6 same coat$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 12:56
L31	2	"20030075733"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 18:55
L32	0	"20030075733" and wire$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 18:59

L33	1	"20030075733" and wiring	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 19:00
L34	1	"20030075733" and wiring and metal$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 21:23
L35	0	display and substrate$1 same (thin same film same transistor or TFT) same pixel$ and SUBSTRATE$1 SAME metal$6 same pattern$6 SAME reflect$6 SAME LIGHT$6 and "345"/$. ccls. and detect$6 same light$6 same reflect$6 and detect$6 same recive$6 and transmit$6 same feedback	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 20:50
L36	47	display and substrate$1 same (thin same film same transistor or TFT) same pixel$1 and SUBSTRATE$1 SAME metal$6 same pattern$6 and reflect$6 SAME LIGHT$6 and (LED or light$6 adj emit$6 adj diode$1) and anode$1 and cathode$1 and (photoresist$6 or dielectric$6) and planariz$6 and insulat$6 and spin$6 and coat$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 20:48
L37	0	display and substrate$1 same (thin same film same transistor or TFT) same pixel$ and SUBSTRATE$1 SAME metal$6 same pattern$6 SAME reflect$6 SAME LIGHT$6 and detect$6 same light$6 same reflect$6 and detect$6 same recive$6 and transmit$6 same feedback	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 20:50
L38	38	display and metal$6 same pattern$6 SAME reflect$6 SAME LIGHT$6 and detect$6 same light$6 same reflect$6 and detect$6 same receive$6 and transmit$6 same feedback	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 20:51
L39	1	display and substrate$1 same (thin same film same transistor or TFT) same pixel$ and SUBSTRATE$1 SAME metal$6 same pattern$6 SAME reflect$6 SAME LIGHT$6 and "345"/$. ccls. and detect$6 same light$6 same reflect$6 and detect$6 same receive$6 and transmit$6 same feedback	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 20:50

L40	1	display and substrate$1 same (thin same film same transistor or TFT) same pixel$ and SUBSTRATE$1 SAME metal$6 same pattern$6 SAME reflect$6 SAME LIGHT$6 and detect$6 same light$6 same reflect$6 and detect$6 same receive$6 and transmit$6 same feedback	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 20:50
L41	1	display and metal$6 same pattern$6 SAME reflect$6 SAME LIGHT$6 and detect$6 same light$6 same reflect$6 and detect$6 same receive$6 and transmit$6 same feedback and "345"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 20:52
L42	2	display and metal$6 same pattern$6 and reflect$6 SAME LIGHT$6 and detect$6 same light$6 same reflect$6 and detect$6 same receive$6 and transmit$6 same feedback and "345"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 20:52
L43	2	display and (metal$6 same pattern$6 and reflect$6 SAME LIGHT$6) and detect$6 same light$6 same reflect$6 and detect$6 same receive$6 and transmit$6 same feedback and "345"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 20:53
L44	24	display and (metal$6 same pattern$6 and reflect$6 SAME LIGHT$6) and detect$6 same light$6 same reflect$6 and detect$6 same receive$6 and transmit$6 and feedback$6 and "345"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 20:54
L45	10	display and (metal$6 same pattern$6 same reflect$6 SAME LIGHT$6) and detect$6 same light$6 same reflect$6 and detect$6 same receive$6 and transmit$6 and feedback$6 and "345"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 21:00
L46	900	(OLED or organic same light$6 same emit$6 same diode) and (metal$6 same pattern$6 same reflect$6 SAME LIGHT$6 driv$6 same circuit$6) and (metal$6 same pattern$6 same reflect$6 SAME LIGHT$6 driv$6 same cathode$1) and "345"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 21:02

L47	0	(OLED or organic same light$6 same emit$6 same diode) and (metal$6 same pattern$6 same reflect$6 SAME LIGHT$6 same driv$6 same circuit$6) and (metal$6 same pattern$6 same reflect$6 SAME LIGHT$6 driv$6 same cathode$1) and "345"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 21:03
L48	1	(OLED or organic same light$6 same emit$6 same diode) and (metal$6 same pattern$6 same reflect$6 SAME LIGHT$6 same circuit$6) and (metal$6 same pattern$6 same reflect$6 SAME LIGHT$6 same cathode$1) and "345"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 21:04
L49	37	(OLED or organic same light$6 same emit$6 same diode) and (metal$6 same pattern$6 same reflect$6 SAME LIGHT$6 same circuit$6) and (metal$6 same pattern$6 same reflect$6 SAME LIGHT$6 same cathode$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 21:06
L50	7	(OLED or organic same light$6 same emit$6 same diode) and ((plural$6 or many or multiple) same metal$6 same pattern$6 same reflect$6 SAME LIGHT$6 same circuit$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 21:08
L51	1	"20030075733" and cathode and anode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 21:23
S1	104	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same region same (organic same light$6 same emit$6 same diode$1 or OLED) same region and thin same film	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 18:12

S2	1	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same region same (organic same light$6 same emit$6 same diode$1 or OLED) same region and thin same film same transistor same metal$6 same electrode$1 same metal same pattern and planariz$6 same insulat$6 same layer$6 and cover$6 same thin same sfilm transistor and contact$6 same window$6 same expose$6 same metal$6 same pattern$6 and transparent same anode same dispos$6 same OLED same region and electric$6 same connect$6 same metal$6 same pattern$6 and transparent same insulat$6 same cover$6 same layer$6 same anode same contact same window same position and organic same light$6 same emit$6 same layer$6 same dispos$6 same anode and insulat$6 same cover$6 same layer$6 and transparent same cathode same dispos$6 same organic same light$6 same emit$6 same layer$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 22:51
S3	2	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same region same (organic same light$6 same emit$6 same diode$1 or OLED) same region and thin same film same transistor same metal$6 same electrode$1 same metal same pattern and plan$6 same insulat$6 same layer$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 22:47
S4	4	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same region same (organic same light$6 same emit$6 same diode$1 or OLED) same region and thin same film same transistor same metal$6 same electrode$1 same metal same pattern and planariz$6 same insulat$6 same layer$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 22:49

S5	1	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same region same (organic same light$6 same emit$6 same diode$1 or OLED) same region and (thin same film same transistor and metal$6 same electrode$1 and metal same pattern) and planariz$6 same insulat$6 same layer$6 and cover$6 same thin same sfilm transistor and contact$6 same window$6 same expose$6 same metal$6 same pattern$6 and transparent same anode same dispos$6 same OLED same region and electric$6 same connect$6 same metal$6 same pattern$6 and transparent same insulat$6 same cover$6 same layer$6 same anode same contact same window same position and organic same light$6 same emit$6 same layer$6 same dispos$6 same anode and insulat$6 same cover$6 same layer$6 and transparent same cathode same dispos$6 same organic same light$6 same emit$6 same layer$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 22:51
S6	29	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same region same (organic same light$6 same emit$6 same diode$1 or OLED) same region and (thin same film same transistor and metal$6 same electrode$1 and metal same pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 23:06
S7	102	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same (organic same light$6 same emit$6 same diode$1 or OLED) and ((thin same film same transistor or TFT) and metal$6 same electrode$1 and metal same pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 23:07
S8	7	flat same panel same display and substrate$1 same (thin same film same transistor or TFT) same (organic same light$6 same emit$6 same diode$1 or OLED) and ((thin same film same transistor or TFT) and metal$6 same electrode$1 and metal same pattern) and "345"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 07:58